

Non-Slip GRP Decking Strips fit to the top of your decking or step surface, with a gritted surface giving excellent traction. A quick and easy solution to improving safety in potential slip hazard areas, whilst preserving an aesthetically pleasing appearance.

For damp, wet and frosty conditions, our non-slip strips are made from tough, hard wearing and durable GRP, corrosion and fungus resistant. They will not rot, twist or warp and will last for years.

Manufactured in 50mm or 90mm depths - ideal for use on extra wide decking boards or areas where more traction is needed, such as ramps, steps or sleepers.

Supplied with a choice of medium grit or fine grit, undrilled or predrilled, with FREE stainless steel fixing screws.

Simply screw to your decking or step surface.

Our product features:

- Rated extremely low potential for slip.
- Tested anti-slip to BS7976.2.
- 10 year guarantee.
- Quick and easy to install.
- Indoor or outdoor use.
- FREE screws included.
- Cut to size service.
- Predrilling service.
- Chamfered edge, low profile design.
- Tough, hard wearing and durable GRP - lasts for years.
- Impact resistant.
- Light weight.
- UV stable.
- Non metallic.
- In Medium Grit & Fine Grit.
- Manufactured to ISO 9001 and ISO 14001 environmental.

Benefits:


- Helps create a safer environment.
- Fits directly onto existing decking or steps.
- Can be applied to nearly any substrate.
- Decking or steps can be used immediately after installation.

Our 10 Year Manufacturer's Guarantee:

Should any manufacturing defects occur within 10 years of purchase, we will replace free of charge.



Non-Slip Decking Strips helps create a safer environment.



Quick and easy to install, screw to decking or step surface.



For wet, damp and frosty conditions.

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.

Stock sizes

Manufactured in 50mm or 90mm depths, to lengths: 800, 1000, 1200, 2000, 3000mm.

Thickness

Approx. 3mm.

Weight

Approx. 0.4kg/linear metre - 50mm depth.
Approx. 0.7kg/linear metre - 90mm depth.

Grit grade options

Medium grit

For damp, wet and frosty conditions.
Domestic, commercial and industrial environments - interior and exterior.
Grit particle size: 1.0mm.

Fine grit

For damp and wet conditions.
More sensitive areas such as play areas, barefoot areas, hospitals, schools, in domestic and commercial environments - interior and exterior.
Grit particle size: 0.5mm.


Cut to your sizes

Don't want to cut them yourself?
We'll cut to your exact sizes prior to delivery.
On www.safetread.co.uk select cut to size option and enter your sizes.
Select the option to receive off-cuts if required.
Or call us on **01206 227 660**.

Cutting Tolerances +/- 3mm.
Maximum single size of Decking Strip:
3000mm Long.

Installation


A fitting service available if required.



Ideal for slippery wooden ramps, bridges and gangways.



For commercial and industrial environments.



Decking or steps can be used immediately after installation.


For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.

Stock colours

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.



Black
RAL 9004



White
RAL 9003



Light grey
RAL 7035



Medium grey
RAL 7004



Dark grey
RAL 7015



Buff
RAL 1001



Brown
RAL 8028



Sage
RAL 1020



Yellow
RAL 1003



Red
RAL 3001



Blue
RAL 5015



Green
RAL 6001

Non stock colours



Fuchsia
RAL 4010



Purple
BS22-D-45



Orange
RAL 2009

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.



Non-Slip Decking Strips - Colourdec blended colours

We've introduced a stunning range of blended multi-colour grit finishes for our anti-slip stair and floor products.

Special blends of multi-coloured grits create a beautiful choice of finishes. Combined with Safe Tread's anti-slip properties, they offer a safer walking surface as well as a highly attractive look to stair and floor areas.

Outstanding slip resistance

All of our non-slip stair and floor products incorporate a gritted surface, ensuring outstanding slip resistance even in wet and greasy conditions. Consistently reducing slips in industrial, commercial and public areas.

Tested anti-slip to BS7976.2 and rated low slip potential.



Non-Slip Decking Strips Colourdec blended colour range.

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.

Colourdec blended multi-colour grit finishes, with our screw colour recommendations


Create the best finish with our matching colour screws.

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.

Stock colours



Black dune
+ black screws



Dune
+ buff screws



Woodland
+ brown screws

Non stock colours



Black rustic
+ black screws




Black harvest
+ black screws




Harvest
+ buff screws



Bayside
+ blue screws



Hillside
+ green screws



Vineyard
+ red screws

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.

We can install and beautifully finish your stairs and floors with an anti-slip walking surface, keeping you safe.

For customers installing at home, DIY and smaller projects, we offer quick and easy How To Install PDF guides for maintenance, cleaning and installation.

Commercial, industrial and public projects

For business customers and larger projects we recommend our fitting service.

Our teams of fully qualified installers have over 20 years experience and have managed a range of installations from our Anti-Slip Stair and Floor product range, GRP Grating to Industrial Lining and Coatings installations throughout the UK.

The ideal solution for companies that do not have the time, staff available or a facilities management team free to carry out the installation required.


We'll do the hard work for you!

Benefits


- We'll take measurements, plan your project and organise cutting of materials.
- Install to a high standard finish.
- Our teams are fully experienced at fitting to stairs, floors, ramps and platform areas.
- Fully insured and certificated personnel.
- For all substrates.
- Quick installation time
- Over 20 years experience.

How does the installation service work?


- After receiving a brief, our estimator will visit and undertake a free site survey.
- This includes accurate measuring of the site to ensure exact cutting of materials and to avoid wastage.
- Risk assessments and method statements will be supplied before any commencement of work is carried out for your approval, with a recommendation of products most suitable, with your quotation.
- We'll discuss the entire installation procedure and arrange the most convenient time for your installation.



Public footbridge and stairs installation.



Decking strips and Nosings for slippery timber areas.



DDA compliant yellow nosings highlight the step edges.

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.