

Non-Slip floor sheets designed to fit to floors, walkways, gangways, access ramps, bridges, landing areas, platforms, piers and pontoons.

Made from hard wearing and durable GRP with a highly effective gritted anti-slip safety surface.

Quick and easy to install, a cost effective solution to improving safety in potential slip hazard areas.

For interior or exterior environments.

### Our product features:

- Rated extremely low potential for slip.
- Tested anti-slip to BS7976.2.
- 10 year guarantee.
- Quick and easy to install.
- Indoor or outdoor use.
- Tough, hard wearing and durable GRP - lasts for years.
- Corrosion resistant.
- Impact resistant.
- Light weight.
- UV stable.
- Non metallic.
- In Standard Duty, Heavy Duty.
- 4mm & 10mm thickness options.
- Special colours and sizes available to order.
- Manufactured to ISO 9001 and ISO 14001 environmental.

### Benefits:

- Helps create a safer environment.
- For wet, frosty and oily conditions.
- Can be applied to nearly any substrate.
- Areas can be used immediately after installation.

### Our 10 Year Manufacturer's Guarantee:

Should any manufacturing defects occur within 10 years of purchase, we will replace free of charge.



In 4mm and 10mm thickness, various sheet sizes.



For factory floors, industrial walkways.



Non-Slip Floor Sheet access ramp.

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.

Available in 4mm and 10mm thickness.

### 4mm thickness stock sizes

1220mm x 1220mm (4' x 4')

2440mm x 1220mm (8' x 4')

### Weight

Standard Duty - approx. 6.5kg/linear metre,

Heavy Duty - approx. 7.8kg/linear metre.

### 10mm thickness stock sizes

1220mm x 1220mm - (4' x 4') - Max weight: 28kg.

2440mm x 1220mm - (8' x 4') - Max weight: 56kg.

### Cut to size service.

Don't want to cut them yourself?

We'll cut to your sizes,  
call us on **01206 227 660**.

Cutting Tolerances +/- 3mm.

Maximum single size of Floor Sheet:  
2400mm x 1220mm.

### Installation

A fitting service available if required.



Ideal for slippery timber decking, paths and public walkways.



Commercial footbridges and public paths.




The anti-slip solution for gangways and access ramps.

For prices, a free sample or to buy online visit: **[www.SafeTread.co.uk](http://www.SafeTread.co.uk)**  
or call **01206 227 660** to speak to our specialist team.



	Standard Duty Quartz	Heavy Duty ToughGrip	Fine Grit ToughGrip
Anti-slip surface:	Medium Grit	Coarse Grit	Fine Grit
Grit hardness rating:	7/10	9/10	9/10
<b>Slip potential:</b>			
In dry conditions:	Extremely low slip risk	Extremely low slip risk	Extremely low slip risk
In wet conditions:	Extremely low slip risk	Extremely low slip risk	Extremely low slip risk
In greasy conditions:	Low slip risk	Low slip risk	Low slip risk
<b>Environments:</b>	Indoors & outdoors	Indoors & outdoors	Indoors
<b>Ideal for:</b>	<ul style="list-style-type: none"> <li>Wet, frosty and oily conditions.</li> <li>Normal pedestrian traffic, industrial applications.</li> <li>Most applications and will give many years of service.</li> </ul>	<ul style="list-style-type: none"> <li>Wet, muddy, frosty and oily conditions.</li> <li>Busy pedestrian traffic, industrial applications.</li> <li>Train stations, hospitals, stadiums, car parks, busy public walkways.</li> </ul>	<ul style="list-style-type: none"> <li>Wet and oily conditions.</li> <li>Normal pedestrian traffic for less industrial applications.</li> <li>Easier to clean, with a less aggressive surface.</li> </ul>



Medium Grit  
particle size: 1.0mm



Coarse Grit  
particle size: 1.7mm



Fine Grit  
particle size: 0.5mm



For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.

## Colours

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.

### Stock colours



Black RAL 9004



Light grey RAL 7035



Medium grey RAL 7004




Dark grey RAL 7015



Yellow RAL 1003

### Custom colours (indicative range: please call to order)



Green RAL 6029



Blue RAL 5015



Beige RAL 1001



Brown RAL 8028



Red RAL 3950



Custom: any BS/RAL colour

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.



**Non-Slip Floor Sheets - Colourdec blended colours**

We've introduced a stunning range of blended multi-colour grit finishes for our anti-slip stair and floor products.

Special blends of multi-coloured grits create a beautiful choice of finishes. Combined with Safe Tread's anti-slip properties, they offer a safer walking surface as well as a highly attractive look to floors.

**Outstanding slip resistance**

All of our non-slip stair and floor products incorporate a gritted surface, ensuring outstanding slip resistance even in wet and greasy conditions. Consistently reducing slips in industrial, commercial and public areas.

Tested anti-slip to BS7976.2 and rated low slip potential.



Non-Slip Floor Sheets Colourdec blended colour range.

For prices, a free sample or to buy online visit: **[www.SafeTread.co.uk](http://www.SafeTread.co.uk)**  
or call **01206 227 660** to speak to our specialist team.



## Colourdec blended multi-colour grit finishes, with our screw colour recommendations

Create the best finish with our choice of matching coloured top screws. For interior or exterior use.

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.

### Stock colours



Barn owl  
+ light grey screw



Wizard  
+ medium grey screw



Gunmetal  
+ medium grey screw



Dune  
+ buff screws

### Non stock colours



Harvest  
+ buff screws



Woodland  
+ brown screws



Rustic  
+ brown screws



Bayside  
+ blue screws



Hillside  
+ green screws



Vineyard  
+ red screws

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.

We can install and beautifully finish your stairs and floors with an anti-slip walking surface, keeping you safe.

For customers installing at home, DIY and smaller projects, we offer quick and easy How To Install PDF guides for maintenance, cleaning and installation.

## Commercial, industrial and public projects

For business customers and larger projects we recommend our fitting service.

Our teams of fully qualified installers have over 20 years experience and have managed a range of installations from our Anti-Slip Stair and Floor product range, GRP Grating to Industrial Lining and Coatings installations throughout the UK.

The ideal solution for companies that do not have the time, staff available or a facilities management team free to carry out the installation required.

We'll do the hard work for you!

## Benefits

- We'll take measurements, plan your project and organise cutting of materials.
- Install to a high standard finish.
- Our teams are fully experienced at fitting to stairs, floors, ramps and platform areas.
- Fully insured and certificated personnel.
- For all substrates.
- Quick installation time
- Over 20 years experience.

## How does the installation service work?

- After receiving a brief, our estimator will visit and undertake a free site survey.
- This includes accurate measuring of the site to ensure exact cutting of materials and to avoid wastage.
- Risk assessments and method statements will be supplied before any commencement of work is carried out for your approval, with a recommendation of products most suitable, with your quotation.
- We'll discuss the entire installation procedure and arrange the most convenient time for your installation.



School stairway installation in progress.



DDA compliant treads applied to stairs and landing areas.



Stairs, ramps and walkways installation completed.

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.